APPLICATION FOR PERMISSION TO CHANGE POINT OF DIVERSION, MANNER OF USE AND PLACE OF USE OF THE PUBLIC WATERS OF THE STATE OF NEVADA HERETOFORE APPROPRIATED

Date of filing in State Engineer's Office	SEP 22 2000
Returned to applicant for correction	
Corrected application filed	
Map filed	JAN 20 2000 under 65752
****	****
EDDIE R. AND THERESA SNYDER TRU	RESA SNYDER, CO-TRUSTEES OF THE UST, hereby make application for permission to OF USE of water heretofore appropriated under 1906
***	****
1. The source of water is UNDERGROUND	
2. The amount of water to be changed 752.00 AC	C. FT. – 3.40 C.F.S.
3. The water to be used for IRRIGATION AND	DOMESTIC USE
4. The water heretofore permitted for IRRIGAT !	ION
5. The water is to be diverted at the following poi	nt NO CHANGE - SAME AS EXISTING
MDM, OR AT A POINT FROM WHICH	cated within NW SE SECTION 15 T12N, R25E, THE SE CORNER OF SAID SECTION 15, 2814.10 FEET. REFER TO SUPPORTING CERTIFICATE NO. 6006.
7. Proposed place of use SEE ATTACHMEN UNDER SERIAL NO. 65752	NT REFER TO SUPPORTING MAP FILED
	SW NW, 36.00 ACRES IN THE SE NW, 38.00 THE NE SW AND 35.00 ACRES IN THE NW TAL ACRES 188.00
9. Use will be from JANUARY 1 to DECEMBE	ER 31 of each year.
10. Use was permitted from JANUARY 1 to DE	CEMBER 31 of each year.
11. Description of proposed works EXISTING	
12. Estimated cost of works EXISTING	
13. Estimated time required to construct works E	XISTING
14. Estimated time required to complete the appli	ication of water to beneficial use 5 YEARS
15. Remarks:	s/Dennis Brazzanovich By DENNIS BRAZZANOVICH 5405 Mae Anne Avenue Reno, NV 89523
Compared my/cmf ds/cmf	
Protested	

APPROVAL OF STATE ENGINEER

This is to certify that I have examined the foregoing application, and do hereby grant the same, subject to the following limitations and conditions:

This permit to change the place and manner of use of the waters of an underground source as heretofore granted under Permit 18816, Certificate 6006, is issued subject to the terms and conditions imposed in said Permit 18816, Certificate 6006, and with the understanding that no other rights on the source will be affected by the change proposed herein. The well shall be equipped with a 2-inch opening and a totalizing meter must be installed and maintained in the discharge pipeline near the point of diversion and accurate measurements must be kept of water placed to beneficial use. The totalizing meter must be installed before any use of the water begins or before the proof of completion of work is filed. If the well is flowing, a valve must be installed and maintained to prevent waste. This source is located within an area designated by the State Engineer pursuant to NRS 534.030. The State retains the right to regulate the use of the water herein granted at any and all times.

This permit does not extend the permittee the right of ingress and egress on public, private or corporate lands.

The issuance of this permit does not waive the requirements that the permit holder obtain other permits from State, Federal and local agencies.

The total combined duty of water under Permits 65754, 65755, 66831, and 66832 and any waters of the Walker River Decree and any storage water appurtenant to the place of use shall not exceed 3,444.4 acre-feet per year for the irrigation of 861.1 acres within the proposed place of use. The permittee is responsible for insuring delivery of the entitled decreed and storage waters that are supplemental to these permits. In any year that the Walker River Irrigation District declares a full allocation of decreed waters to the priority years of C-125 claims supplemental to these permits, underground water shall not be pumped from the wells described in these permits. In any year that the Walker River Irrigation District has no decreed or storage water, or declares a reduced allocation of surface waters to the priority years of C-125 claims supplemental to these permits, then the place of use of the permits can be irrigated with underground water, but not to exceed a duty of 4 acre-feet per acre per year from the total of decreed, storage, and underground waters. (CONTINUED ON PAGE 3)

The amount of water to be appropriated shall be limited to the amount which can be applied to beneficial use, and not to exceed 3.4 cubic feet per second, but not to exceed 752.0 acre-feet annually, and not to exceed a yearly duty of 4.0 acre-feet per acre of land irrigated from any and/or all sources.

Work must be prosecuted with reasonable diligence and be completed on or before:

August 10, 2002

Proof of completion of work shall be filed before: September 10, 2002

Water must be placed to beneficial use on or before:

August 10, 2006

Proof of the application of water to beneficial use shall be filed on or before: September 10, 2006

Map in support of proof of beneficial use shall be filed on or before: September 10, 2006

IN TESTIMONY WHEREOF, I, HUGH RICCI, P.E.,

State Engineer of Nevada, have hereunto set

my hand and the seal of my office,

this 10	th day of, August A.D. 2001
	State Engineer
Completion of work filed SEP 0 9 2002	
Proof of beneficial use filed	
Cultural map filed	
Certificate NoIssued	

ATTACHMENT

TEM NO. 7 - PROPOSED PLACE OF USE

SECTION	SUBDIVISION	TOWNSHIP	RANGE	ACREAGE	CULTURE
2	SW SW	T12N	R25E	1.57	- OCTONE
3	NE NW	T12N	R25E	35.40	
3	SE NW	T12N	R25E	36.45	
3	NW SE	T12N	R25E	35.42	•
3	NE SE	T12N	R25E	30.88	
3	SE SE	T12N	R25E	37.16	
3	SW SE	T12N	R25E	35.96	
3	NW SW	T12N	R25E	38.07	
3	NE SW	T12N	R25E	32.75	, i.
3	SW SW	T12N	R25E	18.68	
4	NW SE	T12N	R25E	6.53	
4	NE SE	T12N	R25E	34.14	
4	SE SE	T12N	R25E	36.94	
4	SW_SE	T12N	R25E	11.16	
9	NW NE	T12N	R25E	4.35	
9	NE NE	T12N	R25E	36.32	
9	SE NE	T12N	R25E	36.52	
9	SW NE	T12N	R25E	10.35	
9	NW SE	T12N	R25E	4.36	
9	NE SE	T12N	R25E	35.27	
9.	SE SE	T12N	R25E	4.30	
10	NW NW	T12N	R25E	27.43	
10	SW NW	T.1.2N	R25E	14.20	
10	NW NE	T12N	R25E	39.5	!
10	NE NE	T1.2N	R25E	35.7	•
10	SE, NE	T12N	R25E	31.0	
10	SW NE	T12N	R25E	21.9	
10	NW SW	T,12N	R25E	33.60	
10	NE SW	T12N	R25E	32.9	
10	SE SW	T.12N;	R25E	34.6	
10	SW SW	T12N	, R25E	10.70	•
15	SW NW	T.12N	R25E	37.58	
15	SE NW	T12N.	R25E	36.00	
15	NW SE	T12N.	R25E	32.50	
15	NW SW	T12N,	R25E	36.80	
15	NE SW	T12N	R25E	37.56	
					